

quickflexiblecleanprecise



Taking the lead with a systematic approach:

The new MAFELL guide rail system F.

The new, convenient guide rail facilitates clean and exact cutting without tearing in conjunction with numerous MAFELL machines.

The various standard rails can be joined together with self-aligning connecting pieces to obtain the required length for the job.

Plug-in end profile

The supplied plug-in end profile prevents cables and suction hoses becoming caught.

Clean cuts

A rubber lip, guide edge and tear protection all in one – consistently facilitates high-precision cutting without tearing.





Additional fastening

from above, that simply slides into the parked position when

not in use.

The guide rail can be additionally secured with two screw clamps if necessary.







Subject to design modifications and changes to delivery scope in the interests of progress • 04/06 • Printed in Ge

Guaranteed non-slip

Two detachable holding strips on the underside of the rail offer outstanding grip and protect the surface of the work.



The rubber lip has to be cut to width before the rail is used for the first time. It can be renewed later without any adhesive.

The guide rail system F is compatible with the following MAFELL portable circular saws: $KSS 400 \cdot KSS 400/24 \text{V} \cdot KST55 \text{S} \cdot KST55 \text{SE} \cdot MS55 \cdot MS55/24 \text{V} \cdot KSP55 \text{F} \cdot KSP55/24 \text{V} \cdot KSP65 \text{F} \cdot KSP85 \text{Fc} \cdot MKS130 \text{Ec}$

		Ref. No.
Guide rail F80	0.8 m long (12,6 ft)	204380
Guide rail F110	1.1 m long (13,6 ft)	204381
Guide rail F 160	1.6 m long (15,2 ft)	204365
Guide rail F210	2.1 m long (16,9 ft)	204382
Guide rail F310	3.1m long (10,2 ft)	204383
Guide rail FX; variable length up to 6 m (19,7 ft)		204384
Connecting piece for join	204363	
<u> </u>		

Your MAFELL authorized dealer: